

## Radiant heating system Antares Range

### VERSATILE RADIANT HEATING

Antares is agile and blends perfectly with your surroundings. Its emitted heat feeds the occupied areas with certainty. Suspended or integrated to the ceiling, Antares radiates directly to the desired areas and generates its warmth in all harmony and tranquility. You get as well, the best of radiant heating.

#### DISCREET AND VERSATILE

For shops, studios, offices, sports halls, industries, etc.

#### IMMEDIATE

Heating without inertia

#### FAST

Easy to install

#### ECONOMICAL

Maximum energy savings


#### CHOICE OF COLORS

Black and White, standard colors  
Other colors and customized printing,  
Upon request

#### CHOICE OF DIMENSIONS

2X2 : 600x600 cm  
24x24 inches  
2X4 : 600x1200 cm  
24x48 inches  
2X6 : 600x1800 cm  
24x72 inches

ILO Technology products are made of self-regulating aluminum alloy film in temperature.



### Radiant heating system

### Antares Range

#### Available Colors

Couleurs	Code	Standard
White	01	✓
Black	10	On request
Yellow	03	On request
Green	04	On request
Orange	05	On request
Red	06	On request
Grey	09	On request
Customized Printing	02	On request

#### Dimensions, Weight and Power

IP Class	Product No	Width		Height		Weight		Power Watts	Surface*	
		mm	in	mm	in	kg	in		m <sup>2</sup>	ft <sup>2</sup>
IP20	CASS1100585-51/120-01	600	24	600	24	4.5	10	400	5	50
	CASS1100585-51-01	600	24	600	24	4.5	10	400	5	50
	CASS1100585-52/120-01	600	24	1200	48	9	20	750	9	100
	CASS1100585-52-01	600	24	1200	48	9	20	750	9	100
	CASS1100585-53/120-01	600	24	1800	72	14	30	1100	14	150
	CASS1100585-53-01	600	24	1800	72	14	30	1100	14	150



\* The ratio is calculated on average heating of 7.5W/ft<sup>2</sup>, based on adequate comfort level.

### Antares

CASC1100585-51 (24 x 24 inches)

#### Voltage, Current and Power

Product No	Tension (Volt)	Current (Amp)	Power (Watt)
CASC1100585-51 /120	120	3.3	400
CASC1100585-51	240	1.7	400





### ANTARES

CASC1100585-52 (24 x 48 inches)

#### Voltage, Current and Power

Product No	Tension (Volt)	Current (Amp)	Power (Watt)
CASC1100585-52 /120	120	6.3	750
CASC1100585-52	240	3.1	750



## ANTARES

CASC1100585-53 (24 x 72 inches)

### T Voltage, Current and Power

Product Code	Tension (Volt)	Current (Amp)	Power (Watt)
CASC1100585-53 /120	120	9.2	1100
CASC1100585-53	240	4.6	1100

